Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5 event$5 paper adj2 jam unavailable adj2 (media paper))) with ((period$5 predetermin$5 elaps$5) adj2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:16
		((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5 event$5 paper adj2 jam unavailable adj2 (media paper))) with (period$5 predetermin$5 elaps$5) adj2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:16
		((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5 event$5 paper adj2 jam unavailable adj2 (media paper))) with (period$5 predetermin$5 elaps$5) adj2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:16
		((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5 event$5 paper adj2 jam unavailable adj2 (media paper)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:08
		(remov$5 resolv$5) wtih (paper adj2 jam) with (different$4 adj2 user$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:07
		((send$5 transmit$5 notif$5) adj2 (print$5 adj2 (error$5 problem$5 fail$5)) same ((multiple$5 pluralit$5 different$5) adj3 (client$5 operator$5 user$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:40
		((send$5 transmit$5 notif$5) adj2 (print$5 adj2 (error$5 problem$5 fail$5)) same ((multiple$5 pluralit$5 different$5) adj3 (client$5 operator$5 user$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:40
		((send$5 transmit$5 notif$5) adj2 (print$5 adj2 (error$5 problem$5 fail$5)) same ((multiple$5 pluralit$5 different$5) adj3 (client$5 operator$5 user$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:40

		((sen$5 transmit$5 notif$5) adj2 (print$5 adj2 (error$5 problem$5 fail$5)) same ((multiple$5 pluralit$5 different$5) adj3 (client$5 operator$5 user$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:40
		(notif$5 adj2 (print$5 adj2 (error$5 problem$5 fail$5)) with (client$5 operator$5 user$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:31
		(notif$5 adj2 (print$5 adj2 (error$5 problem$5 fail$5)) with (different$6 adj4 (client$5 operator$5 user$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:26
		(transmit$5 send$5 communicat$5) with (error$5 fail$5 warn$5 diagnos$5)) with ((different$5) with (client$5 computer$5 user$5 operator$5 service$5 provider$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:41
		(transmit$5 send$5 communicat$5) with ((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) near3 (error$5 fail$5 warn$5 diagnos$5)) with ((different$5 alternat$5 other$5) near4 (client$5 computer$5 user$5 operator$5 service$5 provider$5)) with (elapse$5 predetermin$5 period$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:28
		(transmit$5 send$5 communicat$5) with ((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) near3 (error$5 fail$5 warn$5 diagnos$5)) with ((different$5 alternat$5 other$5) near4 (client$5 computer$5 user$5 operator$5 service$5 provider$5)) with (elapse$5 predetermin$5 period$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:28
		(printer$5 copy adj2 machine$5 image adj2 form$5 adj2 apparatus$5) near4 (error$5 warn$5 fail$5 event$5 diagnos$5) same (service$5 provider$5 operator$5 second adj2 client$5) same (after near4 (elaps$4 predetermin$5) adj2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:17

		(printer$5 copy adj2 machine$5 image adj2 form$5 adj2 apparatus$5) near4 (error$5 warn$5 fail$5 event$5 diagnos$5) same (service$5 provider$5 operator$5 second adj2 client$5) same (after near4 (elaps$4 predetermin$5) adj2 time))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:16
		(printer$5 copy adj2 machine$5 image adj2 form$5 adj2 apparatus$5) near4 (error$5 warn$5 fail$5 event$5 diagnos$5) same (service$5 provider$5 operator$5 second adj2 client$5) same (after near4 (elaps$4 predetermin$5) adj2 time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:16
		(printer$5 copy adj2 machine$5 image adj2 form$5 adj2 apparatus$5) near4 (error$5 warn$5 fail$5 event$5 diagnos$5) same (service$5 provider$5 operator$5 second adj2 client$5) same (after near4 (elaps$4 predetermin$5) adj2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:15
		(transmit$5 send$5) with (printer$5 adj2 (error$5 warn$5 fail$5 event$5)) with (client$5 with service$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:11
		(resolv$5 fix$5 countermeasur$5) with (print$5 adj2 (error$5 problem$5 failur$5)) with ((predetermin$5 elaps$5) adj2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 10:47
L1	14164	(358/1.9-1.16).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:55
L2	105	(printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) same (send$5 transmit$5 sent$5 broadcast$5) same (error$5 adj2 (messag$5 warn$5 display$5 status$5)) same (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:56

L3	11468	1 and "2"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:57
L5	20	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:57
L6	10	5 and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/18 17:58
S1	2	jp-11227306$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:43
S2	18	(IDE with TAKAHIRO).in. and (ricoh$).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:46
S3	2	"11020277"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 10:46
S4	2	("5937151").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 17:55
S5	2	ep-749065-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 11:52
S6	2	("5778183").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 17:32

S7	2	ep-943985-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:35
S8	2	("20020036793").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 10:46
S9	2	("20020036793").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 17:36
S10	2	("20020054322").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 17:43
S11	15	(printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) with (send$5 transmit$5 sent$5 broadcast$5) with (error$5 adj2 (messag$5 warn$5 display$5 status$5)) with (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:49
S12	4	"10016361"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:48
S13	104	(printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) same (send$5 transmit$5 sent$5 broadcast$5) same (error$5 adj2 (messag$5 warn$5 display$5 status$5)) same (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:56

S14	89	((printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) same (send$5 transmit$5 sent$5 broadcast$5) same (error$5 adj2 (messag$5 warn$5 display$5 status$5)) same (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators))) not ((printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) with (send$5 transmit$5 sent$5 broadcast$5) with (error$5 adj2 (messag$5 warn$5 display$5 status$5)) with (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:50
S15	37	(((printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) same (send$5 transmit$5 sent$5 broadcast$5) same (error$5 adj2 (messag$5 warn$5 display$5 status$5)) same (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators))) not ((printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) with (send$5 transmit$5 sent$5 broadcast$5) with (error$5 adj2 (messag$5 warn$5 display$5 status$5)) with (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators)))) and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:57
S16	241	(printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) same (send$5 transmit$5 sent$5 broadcast$5) same (error$5) same (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators)) same (server$5 servic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:57
S17	98	((printer$5 copy adj2 machine$5 image$2 form$5 adj2 apparatus$5) same (send$5 transmit$5 sent$5 broadcast$5) same (error$5) same (clients pluralit$5 adj2 (client$5 host$5 computer$5 users operators)) same (server$5 servic$5)) and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/04 17:57

S18	5	(resolv$5 fix$5 countermeasur$5) with (print$5 adj2 (error$5 problem$5 failur$5) with ((predetermin$5 elaps$5) adj2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 12:51
S19	13	"5778183".URPN.	USPAT	OR	ON	2004/11/05 11:28
S20	7	((("6,333,790") or ("6,400462") or ("6,185,379")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 11:45
S21	8	("4023901" | "4500971" | "5010551" | "5055996" | "5210571" | "5533193" | "5737739" | "5774759").PN.	USPAT	OR	ON	2004/11/05 11:38
S22	7	"6185379".URPN.	USPAT	OR	ON	2004/11/05 11:41
S23	2	("6430711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 11:48
S24	9	((("6078400") or ("6362894") or ("6567175") or ("6317823")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 11:49
S25	2	("5778183").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 11:52
S26	10	(resolv$5 fix$5 countermeasur$5) same (print$5 adj2 (error$5 problem$5 failur$5) same ((predetermin$5 elaps$5) adj2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:10
S27	1	(transmit$5 send$5) with (printer$5 adj2 (error$5 warn$5 fail$5 event$5)) with (client$5 with service$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:12
S28	2	(transmit$5 send$5) same (printer$5 adj2 (error$5 warn$5 fail$5 event$5)) same (client$5 with service$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:13

S29	3	(printer$5 copy adj2 machine$5 image adj2 form$5 adj2 apparatus$5) near4 (error$5 warn$5 fail$5 event$5 diagnos$5) same (service$5 provider$5 operator$5 second adj2 client$5) same (after near4 ((elaps$4 predetermin$5) adj2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:20
S30	11	print$5 adj2 error$5 same service.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:26
S31	0	(transmit$5 send$5 communicat$5) with ((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) near3 (error$5 fail$5 warn$5 diagnos$5)) with ((different$5 alternat$5 other$5) near4 (client$5 computer$5 user$5 operator$5 service$5 provider$5)) with (elapse$5 predetermin$5 period$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:31
S32	13	(transmit$5 send$5 communicat$5) same ((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) with (error$5 fail$5 warn$5 diagnos$5)) same ((different$5 alternat$5 other$5) with (client$5 computer$5 user$5 operator$5 service$5 provider$5)) same (elapse$5 predetermin$5 period$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:09
S33	141	(transmit$5 send$5 communicat$5) same ((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) with (error$5 fail$5 warn$5 diagnos$5)) same ((different$5 alternat$5 other$5) with (client$5 computer$5 user$5 operator$5 service$5 provider$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:36
S34	2487	diagno$5 same service.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:48

S35	130	print$5 same diagno$5 same service.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 13:51
S36	72	((transmit$5 send$5 communicat$5) same ((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) with (error$5 fail$5 warn$5 diagnos$5)) same ((different$5 alternat$5 other$5) with (client$5 computer$5 user$5 operator$5 service$5 provider$5))) and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:38
S37	16	"5887216".URPN.	USPAT	OR	ON	2004/11/05 14:28
S38	92	(transmit$5 send$5 communicat$5) same ((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) with (error$5 fail$5 warn$5 diagnos$5)) same ((second) with (client$5 computer$5 user$5 operator$5 service$5 provider$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:41
S39	51	((transmit$5 send$5 communicat$5) same ((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) with (error$5 fail$5 warn$5 diagnos$5)) same ((second) with (client$5 computer$5 user$5 operator$5 service$5 provider$5))) and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:50
S40	964	(transmit$5 send$5 communicat$5) with (error$5 fail$5 warn$5 diagnos$5) with ((different$5) with (client$5 computer$5 user$5 operator$5 service$5 provider$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:07
S41	2	ep-540378-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:45
S42	1	540378a2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 15:45

S43	17	((transmit$5 send$5 communicat$5) with (error$5 fail$5 warn$5 diagnos$5) with ((different$5) with (client$5 computer$5 user$5 operator$5 service$5 provider$5)) same (printer$5 copy adj2 machine image adj2 form$5 adj2 apparatus$5)) and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:12
S44	25	(transmit$5 send$5 communicat$5) with (error$5 fail$5 warn$5 diagnos$5) with ((different$5) with (client$5 computer$5 user$5 operator$5 service$5 provider$5)) same (printer$5 copy adj2 machine image adj2 form$5 adj2 apparatus$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:02
S45	15	(transmit$5 send$5 communicat$5) with (error$5 fail$5 warn$5 diagnos$5) with ((other second) adj4 (client$5 computer$5 user$5 operator$5 service$5 provider$5)) same (printer$5 copy adj2 machine image adj2 form$5 adj2 apparatus$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:09
S46	247	((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5)) with (elaps$5 predetermin$5 period$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:18
S47	162	(((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5)) with (elaps$5 predetermin$5 period$5)) and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:22
S48	3	((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5)) with (elaps$5 predetermin$5 period$5 time) with expire$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:21
S49	35	((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) same (error$5 fail$5 warn$5 diagnos$5)) same (elaps$5 predetermin$5 period$5 time) with expire$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:07

S50	32	(((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) same (error$5 fail$5 warn$5 diagnos$5)) same (elaps$5 predetermin$5 period$5 time) with expire$2) not (((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5)) with (elaps$5 predetermin$5 period$5 time) with expire$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:22
S51	22	((((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) same (error$5 fail$5 warn$5 diagnos$5)) same (elaps$5 predetermin$5 period$5 time) with expire$2) not (((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5)) with (elaps$5 predetermin$5 period$5 time) with expire$2)) and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:18
S52	0	"5665193".URPN.	USPAT	OR	ON	2004/11/05 16:24
S53	0	(notif$5 adj2 (print$5 adj2 (error$5 problem$5 fail$5)) with (different$6 adj4 (client$5 operator$5 user$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:28
S54	0	(notif$5 adj2 (print$5 adj2 (error$5 problem$5 fail$5)) with (other$6 adj4 (client$5 operator$5 user$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:31
S55	16	notif$5 adj2 (print$5 adj2 (error$5 problem$5 fail$5)) with (client$5 operator$5 user$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:39
S56	0	notif$5 adj2 (print$5 adj2 (error$5 problem$5 fail$5)) same ((multiple$5 pluralit$5 different$5) adj3 (client$5 operator$5 user$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:40
S57	1	((send$5 transmit$5 notif$5) adj2 (print$5 adj2 (error$5 problem$5 fail$5))) same ((multiple$5 pluralit$5 different$5) adj3 (client$5 operator$5 user$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:42

S58	33	(print$5 adj2 (error$5 problem$5 fail$5)) same ((multiple$5 pluralit$5 different$5) adj3 (client$5 operator$5 user$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:46
S59	1442	(period$5 predetermin$5 amount$5 elaps$5) adj2 (time$5) with (fix$5 resolv$5 countermeasur$5) with (error$5 warn$5 fail$5 event$5 jam$5 unavailab$5 adj2 (media paper$5 sheet$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 16:49
S60	16	(period$5 predetermin$5 amount$5 elaps$5) adj2 (time$5) with (fix$5 resolv$5 countermeasur$5) with (error$5 warn$5 fail$5 event$5 jam$5 unavailab$5 adj2 (media paper$5 sheet$5)) same printer$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:05
S61	0	(remov$5 resolv$5) adj2 (paper adj2 jam) with (different$4 adj2 user$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:06
S62	0	(remov$5 resolv$5) with (paper adj2 jam) with (different$4 adj2 user$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:06
S63	14	((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5 event$5 paper adj2 jam unavailable adj2 (media paper))) with (different$5 near4 (client$5 computer$5 user$5 operator$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:16
S64	97	((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5 event$5 paper adj2 jam unavailable adj2 (media paper))) with (((period$5 predetermin$5 elaps$5) adj2 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:18

S65	63	(((printer$5 copy adj2 machine$5 image$5 adj2 form$5 adj2 appratus$5) adj4 (error$5 fail$5 warn$5 diagnos$5 event$5 paper adj2 jam unavailable adj2 (media paper))) with (((period$5 predetermin$5 elaps$5) adj2 time))) and @ad<"20000504"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:18
S66	7	("3931497" | "4560990" | "4900173" | "5228792" | "5361216" | "5459553" | "5557529").PN.	USPAT	OR	ON	2004/11/05 17:23
S67	0	"411227306"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:31
S68	2	"11227306"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/05 17:31